# Forestland Interpretations

Forestland interpretations are important to good management. The management of trees begins with an understanding of the soil where they grow or are to be grown. Some soils are very suitable for growing wood crops; others barely support tree cover. Different tree species may vary in production on the same soil.

Forestland interpretations should be used to assist land users in planning, installing, and maintaining forestland management systems.

## Forest Management and Productivity

The Forestland Management and Productivity tables presents information about suitable for producing timber for each soil map unit. Management concerns, which include hand planting, mechanical planting, use of harvesting equipment, mechanical site preparation (surface), roads (natural surface), erosion on roads and trails, off-road/trail erosion, soil rutting, log landings, seedling survival, are listed by ratings of:

- Not Limited (0.00)
- Slightly Limited (0.01 to 0.30)
- Moderately Limited (0.31 to 0.60)
- Limited (0.61 to 0.99)
- Very Limited (1.00)

Information on potential productivity includes plant competition, common trees, site index, productivity class, and trees to plant.

## Management Concerns

**PLANT COMPETITION** - A rating of slight indicates little or no competition from other plants; moderate indicates that plant competition is expected to hinder the development of the fully stocked stand of desirable trees; and severe means that plant competition is expected to prevent the establishment of a desirable stand unless the site is intensively prepared, weeded, or otherwise managed for the control of undesirable plants.

**POTENTIAL PRODUCTIVITY -** This is discussed under the ordination class symbol.

**COMMON TREES** - Trees that generally occur on the soil are listed regardless of economic importance.

**SITE INDEX AND PRODUCTIVITY CLASS** - These are discussed under ordination class symbol.

**TREES TO PLANT** - Trees that are suitable for commercial wood production and that are adapted to the soil.

**HAND PLANTING** – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty of hand planting, which includes the proper placement of root systems of tree seedlings to a depth of up to 12 inches, using standard hand planting tools. It is assumed that necessary site preparation is completed before seedlings are planted.

**MECHANICAL PLANTING** – ratings are based on slope, depth to a restrictive layer, content of sand, plasticity index, rock fragments on or below the surface, a water table, and ponding. Ratings indicate the expected difficulty using a mechanical planter, which includes proper placement of root systems of tree seedlings to a depth up to 12 inches. It is assumed that necessary site preparation is completed before seedlings are planted.

**USE OF HARVEST EQUIPMENT** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, and ponding. Ratings indicate the suitability for operating harvest equipment for off –road transport or harvest of logs and/or wood products by ground-based wheeled or tracked equipment.

**MECHANICAL SITE PREPARATION (SURFACE)** – ratings are based on slope, depth to a restrictive layer, plasticity index, rock fragments on or below the surface, a water table, and ponding. The part of the soil from the surface to a depth of about 12 inches is considered in the ratings. Ratings indicate the suitability of using surface-altering soil tillage equipment to prepare the site for planting or seeding.

**ROADS (NATURAL SURFACE)** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. The ratings indicate the suitability for using the natural surface of the soil for roads on which trucks transport logs and other wood products from the site.

**EROSION** (**ROAD/TRAIL**) – ratings are based on the soil erodibility factor K, slope, and content of rock fragments. The ratings apply to unsurfaced roads and trails.

**EROSION (OFF-ROAD/OFF-TRAIL)** – ratings are based on slope and on soil erodibility factor K. The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

**SOIL RUTTING** – ratings are based on a water table, rock fragments on or below the surface, surface texture, depth to a restrictive layer, and slope. Ratings indicate the hazard or risk of ruts in the uppermost soil surface layers by operation of forest equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

**LOG LANDINGS** – ratings are based on slope, rock fragments on the surface, plasticity index, content of sand, surface texture, a water table, ponding, flooding, and the hazard of soil slippage. Ratings indicate the suitability of the soil at the forest site to serve as a log landing and allows the efficient and effective use of equipment for the temporary storage and handling of logs.

**SEEDLING SURVIVAL** – ratings are based on flooding, ponding, a water table, content of lime, reaction, salinity, available water capacity, soil moisture regime, soil temperature regime, aspect, and slope. Ratings indicate the impact of soil, physiographic, and climatic conditions on the survivability of newly established tree seedlings.

See the National Forestry Manual, Subpart B for criteria used in rating management concerns.

This subsection includes:

• (a) Forest Management (one or two tables)

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value 	Rating class and limiting features	Value	Rating class and limiting features	Value
73055: Alred	  Not limited		  Moderately limited  ~slope/erodibility   (moderately limited)	0.49	  Not limited   		  very limited  ~slope   (very limited)  ~slippage potential   (limited)	1.00	  Not limited     	
Rueter	Not limited		   Moderately limited   ~slope/erodibility   (moderately limited) 	    0.49     	  Not limited   		  very limited  ~slope   (very limited)  ~slippage potential   (limited)	  1.00    0.90	  Not limited   	
73139: Poynor	  -  Not limited		  Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Limited  ~low strength   (limited) 	0.80	Limited <pre>~slope (limited)  ~slippage potential (moderately limited)  ~low strength (moderately limited)</pre>	  0.76    0.50    0.50	  Not limited       	
Clarksville	  Not limited   		  Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Limited  ~low strength   (limited) 	0.80	Limited  ~slope  (limited)  ~slippage potential  (moderately limited)  ~low strength  (moderately limited)	  0.76    0.50    0.50	  Not limited       	
Scholten	   Very limited   ~slope/erodibility   (very limited)   ~slope/erodibility   (moderately limited)	1.00	Slightly limited  ~slope/erodibility   (slightly limited)	  0.29     	Limited  ~low strength  (limited)  ~seasonal wetness  (moderately limited)	0.80	Limited  -slope   (limited)  -slippage potential   (moderately limited)  -low strength   (moderately limited)	  0.76    0.50    0.50	  Slightly limited  ~seasonal wetness   (slightly limited)  ~soil reaction   (slightly limited)	0.26

## Forest Management

Map symbol and soil name	Erosion on roads and   	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value   	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73140: Clarksville	  Not limited 		Moderately limited ~slope/erodibility (moderately limited)	0.59	Limited  ~low strength  (limited)	0.80	  very limited  ~slope  (very limited)  ~slippage potential  (limited)  ~low strength  (moderately limited)	  1.00    0.90    0.50	  Slightly limited  ~soil reaction   (slightly limited) 	0.06
Scholten	  Not limited   	         	  Moderately limited  ~slope/erodibility   (moderately limited)	    0.49   	  Not limited     		  Very limited  ~slope   (very limited)  ~slippage potential   (limited)	  1.00    0.90	  Not limited       	
73141: Firebaugh	  Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	  0.67    0.50	Slightly limited  ~slope/erodibility   (slightly limited)	    0.15   	  Slightly limited  ~seasonal wetness   (slightly limited)	0.23	Moderately limited ~slippage potential (moderately limited) ~seasonal wetness (slightly limited)	0.50	  Not limited 	
73142: Firebaugh	  Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	  1.00    0.50	  Slightly limited  ~slope/erodibility   (slightly limited) 	    0.29     	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Limited  ~slope  (limited)  ~slippage potential  (moderately limited)  ~low strength  (moderately limited)	0.76	  Not limited   	
73143: Courtois	   Moderately limited  ~slope/erodibility   (moderately limited)  ~slope/erodibility   (moderately limited)	  0.56    0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.12	  Limited  ~low strength   (limited)	0.80	   Moderately limited  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	0.50	  Not limited 	

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value   _
73144: Courtois	  Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	1.00	  Slightly limited  ~slope/erodibility   (slightly limited)	0.27	  Limited  ~low strength   (limited)	0.80	  Limited  ~slope   (limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	0.68	  Not limited 	
73145: Crider	Moderately limited  ~slope/erodibility   (moderately limited)  ~slope/erodibility   (moderately limited)	0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	    0.12   	  Limited  ~low strength   (limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	  0.50    0.50	  Not limited   	
73146: Marquand	  Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	  0.67    0.50 	Slightly limited  ~slope/erodibility   (slightly limited)	    0.15       	Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited   	
73147: Fourche	   Moderately limited  ~slope/erodibility   (moderately limited)  ~slope/erodibility   (moderately limited)	0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.12	Limited  -low strength (limited)  -seasonal wetness (slightly limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited 	

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra	ail	Soil rutting   		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73148: Jonca	Limited  -slope/erodibility   (limited)  -slope/erodibility   (moderately limited)	0.67	Slightly limited  ~slope/erodibility   (slightly limited)	0.12	Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited -slippage potential (moderately limited) -low strength (moderately limited) -seasonal wetness (slightly limited)	0.50	  Not limited 	
73149: Caneyville	Limited  ~slope/erodibility  (limited)  ~slope/erodibility  (moderately limited)	    0.67    0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.12	Limited  ~low strength  (limited)	0.80	Moderately limited -slippage potential (moderately limited) -low strength (moderately limited)	    0.50    0.50	  Not limited 	
Bucklick	Limited  -slope/erodibility   (limited)  -slope/erodibility   (moderately limited)	  0.67    0.50	Slightly limited  ~slope/erodibility   (slightly limited)	0.12	Limited  ~low strength   (limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	0.50	Not limited	
73150: Caneyville	  - Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	  1.00    0.50 	  Slightly limited  ~slope/erodibility   (slightly limited) 	0.24	  Limited  ~low strength  (limited) 	0.80	Limited  ~slope  (limited)  ~slippage potential  (moderately limited)  ~low strength  (moderately limited)	0.76	  Not limited     	
Bucklick	   Very limited   ~slope/erodibility   (very limited)   ~slope/erodibility   (moderately limited)	  1.00    0.50	  Slightly limited  ~slope/erodibility   (slightly limited) 	0.24	Limited  ~low strength  (limited)	0.80	Limited  ~slope   (limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	  0.76    0.50    0.50	  Not limited   	

## Forest Management

Map symbol and soil name	  Erosion on roads and 	trails	Off-road or off-tra erosion	il	   Soil rutting 		Log landings		Seedling surviva	al
	Rating class and limiting features	Value   	Rating class and limiting features	Value	Rating class and limiting features	Value   	Rating class and limiting features	Value   	Rating class and limiting features	Value
73151: Caneyville	  very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (limited)	1.00	  Moderately limited  ~slope/erodibility   (moderately limited) 	0.39	  Limited  ~low strength   (limited)	0.80	Very limited  -slope (very limited)  -slippage potential ((limited)  -low strength (moderately limited)	  1.00    0.90    0.50	  Not limited 	
Gasconade	  Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (limited)	  1.00    0.77	   Moderately limited  ~slope/erodibility   (moderately limited) 	  0.39     	  Limited  ~low strength   (limited)   	  0.80     	  very limited  ~slope   (very limited)  ~slippage potential   (limited)  ~low strength   (moderately limited)	  1.00    0.90    0.50	  Limited  ~droughty   (limited) 	0.92
Bucklick	  very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (limited)	  1.00    0.95 	  Moderately limited  ~slope/erodibility   (moderately limited)   	  0.39       	  Limited  ~low strength   (limited)   	  0.80       	   Very limited   ~slope   (very limited)   ~slippage potential   (limited)   ~low strength   (moderately limited)	  1.00    0.90    0.50	Not limited	
73152: Lily	  Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	  0.67    0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.12	  Limited  ~low strength   (limited)	0.80	Moderately limited ~slippage potential (moderately limited) ~low strength (moderately limited)	0.50	  Not limited 	
Ramsey	  Not limited   	     	  Slightly limited  ~slope/erodibility   (slightly limited)	0.12	  Moderately limited  ~low strength   (moderately limited) 	    0.50 	  Moderately limited  ~slippage potential   (moderately limited)	    0.50 	  Not limited 	

## Forest Management

Map symbol and soil name	Erosion on roads and 	trails	Off-road or off-tra erosion	il	Soil rutting   		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value 	Rating class and limiting features	Value
73153: Lily	  Not limited		  Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Moderately limited  ~low strength   (moderately limited)	0.50	  Limited  ~slope   (limited)  ~slippage potential   (moderately limited)	    0.76    0.50	  Not limited     	
Ramsey	Not limited		  Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Moderately limited  ~low strength   (moderately limited) 	    0.50     	  Limited  ~slope   (limited)  ~slippage potential   (moderately limited)	  0.76    0.50	  Not limited     	
73154: Ramsey	  Not limited 		   Moderately limited   ~slope/erodibility   (moderately limited) 		  Moderately limited  ~low strength   (moderately limited) 	    0.50   	  Very limited  ~slope   (very limited)  ~slippage potential   (moderately limited)	  1.00    0.50	  Not limited     	
Rock outcrop	  Not rated 		  Not rated   		  Not rated 	   	  Not rated   	     	  Not rated   	
73155: Gasconade	  Very limited  ~slope/erodibility  (very limited)  ~slope/erodibility  (limited)	1.00	   Moderately limited   ~slope/erodibility   (moderately limited) 		  Limited  ~low strength   (limited)	0.80	  -slope   (very limited)  -slippage potential   (limited)  -low strength	    1.00    0.90    0.50	    Limited  ~droughty   (limited)   	0.94
Rock outcrop	  Not rated 		  Not rated 	     	  Not rated 	     	(moderately limited)    Not rated		    Not rated 	

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	ail	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
73156: Alred	  - Not limited 		  Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Not limited   		Limited  -slippage potential  (limited)  -slope  (limited)	0.90	  Not limited   	
Gepp	Not limited		  Slightly limited  ~slope/erodibility   (slightly limited) 	0.24	   Not limited     		Limited  ~slippage potential  (limited)  ~slope   (limited)	  0.90    0.76	  Not limited   	
73157: Captina	Limited -slope/erodibility (limited) -slope/erodibility (moderately limited)	  0.67    0.50	Slightly limited  ~slope/erodibility   (slightly limited)	0.15	Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited  -slippage potential (moderately limited) -low strength (moderately limited) -seasonal wetness (slightly limited)	0.50	  Not limited 	
74644: Deible	  - Slightly limited  ~slope/erodibility   (slightly limited)	    0.22       	  Slightly limited  ~slope/erodibility   (slightly limited) 	0.05	  Limited  ~seasonal wetness   (limited)  ~low strength   (limited)	0.91	Limited  ~seasonal wetness  (limited)  ~slippage potential  (moderately limited)  ~low strength  (moderately limited)	0.91	  Limited  ~seasonal wetness   (limited) 	  0.91   
74645: Higdon	  - Slightly limited  ~slope/erodibility   (slightly limited)	0.22	  Slightly limited  ~slope/erodibility   (slightly limited) 	0.05	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited       	

#### Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74646: Cornwall	Limited  -slope/erodibility   (limited)  -slope/erodibility   (moderately limited)	      0.67    0.50 	  Slightly limited  ~slope/erodibility   (slightly limited)	0.15	  Limited  ~low strength   (limited)  ~seasonal wetness   (slightly limited)	0.80	Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited     	
74647: Cornwall	  - Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	    1.00    0.50	  Slightly limited  ~slope/erodibility   (slightly limited) 	    0.29     	  Limited  ~low strength   (limited)  ~seasonal wetness   (slightly limited)	0.80	  Limited  ~slope   (limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	  0.76    0.50    0.50	  Not limited       	
74648: Aslinger	Limited -slope/erodibility (limited) -slope/erodibility (moderately limited)	    0.67    0.50 	Slightly limited  ~slope/erodibility   (slightly limited)	  0.15       	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited -slippage potential (moderately limited) -low strength (moderately limited) -seasonal wetness (slightly limited)	0.50	  Not limited   	
74649: Aslinger	  - Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	  1.00    0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.22	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	   Moderately limited  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)  ~slope   (moderately limited)	0.50	  Not limited 	

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra	il	Soil rutting		Log landings		Seedling surviva	.1
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74649: (cont) Waben	- Moderately limited - slope/erodibility (moderately limited) - slope/erodibility (moderately limited)	0.56	  Slightly limited  ~slope/erodibility   (slightly limited)	0.10	  Limited  ~low strength   (limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	0.50	  Slightly limited  ~droughty   (slightly limited)	0.00
74650: Higdon	  - Slightly limited  ~slope/erodibility   (slightly limited)	0.17	Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited   ~flooding   (moderately limited)   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	0.50	  Moderately limited  ~flooding   (moderately limited) 	  0.60     
74684: Racoon	  - Slightly limited  ~slope/erodibility   (slightly limited)	    0.17   	  Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Very limited  ~seasonal wetness   (very limited)  ~low strength   (limited)	1.00	  Very limited  ~seasonal wetness   (very limited)  ~low strength   (moderately limited)	    1.00    0.50	  Very limited  ~seasonal wetness   (very limited)	1.00
75381: Bearthicket	  - Slightly limited  ~slope/erodibility   (slightly limited)	      0.17   	  Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Limited  ~low strength   (limited)	0.80	  Moderately limited  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	0.50	  Not limited 	
75395: Jamesfin	  - Slightly limited  ~slope/erodibility   (slightly limited)	    0.11   	  Slightly limited  ~slope/erodibility   (slightly limited)	0.02	  Limited  ~low strength   (limited) 	0.80	  Moderately limited  ~flooding   (moderately limited)  ~low strength   (moderately limited)	    0.60    0.50	  Moderately limited  ~flooding   (moderately limited) 	    0.60   

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra	ail	Soil rutting		Log landings		Seedling surviva	ι1
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value   	Rating class and limiting features	Value	Rating class and limiting features	Value
75408: Secesh	  Slightly limited  ~slope/erodibility   (slightly limited)	0.17	Slightly limited  ~slope/erodibility   (slightly limited)	0.03	  Limited  ~low strength   (limited)	0.80	Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	0.50	  Not limited 	
75409: Relfe	  Not limited 		  Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Moderately limited  ~low strength   (moderately limited) 	    0.50     	  Moderately limited  ~flooding   (moderately limited) 		  Moderately limited  ~flooding   (moderately limited)  ~droughty   (moderately limited)	0.35
75410: Relfe	Not limited		  Slightly limited  ~slope/erodibility   (slightly limited) 	0.04	  Not limited       	         	  Very limited  ~flooding   (very limited) 	    1.00     	  Limited  ~flooding   (limited)  ~droughty   (limited)	  0.90    0.82
75411: Tilk	  Slightly limited  ~slope/erodibility   (slightly limited)  ~slope/erodibility   (slightly limited)	0.12	  Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Not limited   	         	  Moderately limited  ~slippage potential   (moderately limited) 	    0.50     	  Slightly limited  ~droughty   (slightly limited)	0.11
75416: Gladden	  Not limited 		  Slightly limited  ~slope/erodibility   (slightly limited)	0.04	  Limited  ~low strength   (limited)	  0.80       	   Moderately limited   ~flooding   (moderately limited)   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	  0.60    0.50 	  Moderately limited  ~flooding   (moderately limited)   	0.60

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	   Soil rutting 		Log landings		Seedling surviva	.1
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77000: Killarney	  Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (very limited)	1.00	   Moderately limited   ~slope/erodibility   (moderately limited) 	0.59	  Slightly limited  ~seasonal wetness   (slightly limited) 	0.10	  Very limited  ~large surface stones   (very limited)  ~slope   (very limited)  ~surface stones   (limited)	  1.00    1.00    0.77	  Not limited 	
Frenchmill	Not limited		  Moderately limited  ~slope/erodibility   (moderately limited) 	  0.59       	  Not limited   		 	  1.00    1.00    0.77	  Not limited   	
77001: Loughboro	  Slightly limited  ~slope/erodibility   (slightly limited) 	    0.22     	  Slightly limited  ~slope/erodibility   (slightly limited) 	    0.05       	  Limited  ~low strength   (limited)  ~seasonal wetness   (moderately limited)	0.45	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (moderately limited)	  0.50    0.50    0.45	  Moderately limited  ~seasonal wetness   (moderately limited)  ~soil reaction   (slightly limited)	  0.30    0.06 
77002: Delassus	  Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	  0.67    0.50 	  Slightly limited  ~slope/erodibility   (slightly limited)	  0.15       	  Limited  ~low strength   (limited)  ~seasonal wetness   (slightly limited)	  0.80    0.16 	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited   	

## Forest Management

Map symbol and soil name	Erosion on roads and	trails	Off-road or off-tra erosion	il	Soil rutting		Log landings		Seedling surviva	al
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77003: Delassus	   Not limited		  Slightly limited  ~slope/erodibility   (slightly limited)	      0.24     	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	  Limited  ~slope   (limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	      0.76    0.50    0.50	  Not limited         	
77004: Irondale	- Very limited	1.00	  Moderately limited  ~slope/erodibility   (moderately limited) 		  Limited  ~low strength   (limited) 	0.80	  very limited  ~slope   (very limited)  ~large surface stones   (moderately limited)  ~slippage potential   (moderately limited)	  1.00    0.60    0.50	  Not limited         	
77005: Hassler	   Not limited		  Moderately limited  ~slope/erodibility   (moderately limited) 	    0.31     	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	  Very limited  ~slope   (very limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	  1.00    0.50    0.50	  Not limited         	
Syenite	- Not limited		Moderately limited  ~slope/erodibility   (moderately limited)	  0.35     	Limited ~low strength (limited)	0.80	  very limited  ~slope   (very limited)  ~slippage potential   (moderately limited)  ~low strength   (moderately limited)	  1.00    0.50    0.50	Not limited	

## Forest Management

Map symbol and soil name	Erosion on roads and trails		Off-road or off-tra erosion			Seedling survival				
	Rating class and limiting features	Value 	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77006: Roselle	Limited  -slope/erodibility   (limited)  -slope/erodibility   (moderately limited)	0.67	Slightly limited ~slope/erodibility (slightly limited)	0.15	  Limited  ~low strength   (limited)	0.80	Limited  ~slippage potential  (limited)  ~low strength  (moderately limited)	0.90	  Not limited 	
77007: Taumsauk	  - Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (limited)	  1.00    0.96 	Moderately limited ~slope/erodibility (moderately limited)	0.49	  Limited  ~low strength  (limited)	0.80	  Very limited  ~slope   (very limited)  ~large surface stones   (moderately limited)  ~slippage potential   (moderately limited)	  1.00    0.60    0.50	  Slightly limited  ~droughty   (slightly limited)   	0.00
Irondale	Very limited  -slope/erodibility  (very limited)  -slope/erodibility  (limited)	  1.00    0.96	Moderately limited ~slope/erodibility (moderately limited)	0.49	  Not limited     		 	  1.00    0.60    0.50	Not limited	
Rock outcrop	  Not rated 	   	  Not rated 		  Not rated 		  Not rated 	   	  Not rated 	
77008: Hassler	  - Not limited		Slightly limited ~slope/erodibility (slightly limited)	                 	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	j	Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~slope   (moderately limited)	0.50	    Not limited   	

## Forest Management

Map symbol and soil name	Erosion on roads and trails		Off-road or off-tra	iil	   Soil rutting 		   Log landings   		   Seedling surviva 	al
	Rating class and limiting features	Value   	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
77009: Trackler	  -  Not limited		  Slightly limited  ~slope/erodibility   (slightly limited) 	0.12	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)   ~seasonal wetness   (slightly limited)	0.50	  Not limited     	
77010: Trackler	  - Very limited  ~slope/erodibility   (very limited)  ~slope/erodibility   (moderately limited)	  1.00    0.50	Slightly limited  ~slope/erodibility   (slightly limited)	  0.27     	  Limited  ~low strength  (limited)  ~seasonal wetness  (slightly limited)	0.80	Limited <pre> ~slope (limited)  ~slippage potential (moderately limited)  ~low strength (moderately limited)</pre>	0.68	  Not limited   	
Irondale	Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	  0.69    0.42 	Slightly limited  ~slope/erodibility   (slightly limited)	0.22	Limited  -low strength   (limited)	0.80	Very limited  -large surface stones  (very limited)  -surface stones  (limited)  -slope  (limited)	  1.00    0.91    0.68	Not limited 	
78250: Skrainka	  - Limited  ~slope/erodibility   (limited)  ~slope/erodibility   (moderately limited)	    0.67    0.50	  Slightly limited  ~slope/erodibility   (slightly limited)	0.15	  Limited  ~low strength   (limited)	0.80	   Moderately limited   ~slippage potential   (moderately limited)   ~low strength   (moderately limited)	0.50	  Not limited   	

## Forest Management

Map symbol and soil name	Erosion on roads and trails		Off-road or off-tra erosion	ail	l Soil rutting Log landings Seed		Seedling surviva	edling survival		
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
78251: Skrainka	  Not limited		Slightly limited  ~slope/erodibility   (slightly limited)	0.24	  Limited  ~low strength   (limited)	0.80	Limited <pre>~slope (limited)  <slippage (moderately="" <low="" limited)="" limited)<="" potential="" pre="" strength=""></slippage></pre>	0.76	  Not limited 	
99001: Water	    Not rated 		    Not rated 		  Not rated 		  Not rated 	       	  Not rated 	
99006: Udipsamments	  Not limited		  Slightly limited  ~slope/erodibility   (slightly limited)	0.06	  Moderately limited  ~low strength   (moderately limited)		Not Rated Not Rated Not Rated		  Not Rated  Not Rated    -  ~droughty   (moderately limited)	0.31
99008: Udorthents	    Not limited   		    Not limited   	       	    Not limited   		  Not Rated  Not Rated  Not Rated	       	  Not Rated  Not Rated  ~droughty   (very limited)	1.00
Dumps	  Not rated     		  Not rated   		  Not rated   		  Not rated   		  Not rated   	